



**Seattle Select and Natural Knees**

 SEATTLE SELECT

 SEATTLE NATURAL

# Seattle Select Stance Flexion Knee



SSK615



SSK615-THR

- Polycentric, pneumatic 5-bar knee
- 9° of adjustable stance flexion
- Shock absorption at heel strike
- Independently adjustable, pneumatic flexion and extension control
- Available with built-in proximal pyramid or threaded adapter

**Indications:** SSK615 Above knee amputation, medium to high activity, K3-K4, maximum weight of 100 kg • 220 lb

SSK615-THR Knee disarticulation, medium to high activity, K3-K4, maximum weight 125 kg • 275 lb

## SPECIFICATIONS

	Weight Limit	Product Weight	Overall Height	Distance to Knee Center	Flexion	Warranty
SSK615	100 kg • 220 lb	1025 g • 2.0 lb	24.0 cm • 9.0 in	4.0 cm • 1.5 in	145°	2 years
SSK615-THR	125 kg • 275 lb	1015 g • 2.0 lb	23.5 cm • 8.0 in	2.0 cm • 1.0 in	145°	2 years

# Seattle Select Knee



SSK600A



SSK601A

- Polycentric, pneumatic 4-bar knee
- Adjustable flexion and extension controls
- Available with built-in proximal pyramid or attached disarticulation bracket

**Indications:** SSK600A Above knee amputation, medium to high activity, K3-K4, maximum weight 100 kg • 220 lb

SSK601A Knee disarticulation, medium activity, K3, maximum weight 125 kg • 275 lb

## SPECIFICATIONS

	Weight Limit	Product Weight	Overall Height	Distance to Knee Center	Flexion	Warranty
SSK600A	100 kg • 220 lb	750 g • 1.5 lb	20.0 cm • 8.0 in	3.0 cm • 1.2 in	145°	2 years
SSK601A	125 kg • 275 lb	860 g • 2.0 lb	20.5 cm • 8.0 in	2.0 cm • 0.8 in	141°	2 years

## Selection

### SEATTLE SELECT

Model No.	Description	Weight Limit
SSK620	Seattle Select Mini Max Knee	100 kg • 220 lb
SSK615-THR	Seattle Select Stance Flexion with Threaded Adapter Knee	125 kg • 275 lb
SSK615	Seattle Select Stance Flexion Knee	100 kg • 220 lb
SSK601A	Seattle Select Knee with Disarticulation Bracket	125 kg • 275 lb
SSK600A	Seattle Select Knee	100 kg • 220 lb

### SEATTLE NATURAL

Model No.	Description	Weight Limit
SSK617	Seattle Natural Stance Flexion Knee	100 kg • 220 lb
SSK604A	Seattle Natural Knee with Disarticulation Bracket	100 kg • 220 lb
SSK602A	Seattle Natural Knee	100 kg • 220 lb

## Accessories and Replacement Parts

### SEATTLE SELECT



SCA237



SCA212

Model No.	Description	Weight Limit
<b>SSK620</b>		
P19100	DynaMax 100 Hydraulic Unit	100 kg • 220 lb
SSK620-KIT	Seattle Select Mini Max Refurbishment Kit	n/a
SSK620-CAP	Seattle Select Mini Max Knee Cap	n/a
SSK620-SHRD	Seattle Select Mini Max Front Shroud	n/a
<b>SSK615-THR</b>		
SCA237	3-Prong Threaded Lamination Anchor, Stainless Steel	136 kg • 300 lb
SCA212	4-Hole Rotatable Base	136 kg • 300 lb
<b>SSK601A</b>		
SSK601A-KIT	Refurbishment Kit for SSK601A	n/a
SSK601A-PYR	Pyramid Adapter for SSK601A	125 kg • 275 lb
SSK601A-DIS	Replacement Laminating Bracket for SSK601A	125 kg • 275 lb
<b>SSK600A</b>		
SSK600A-KIT	Refurbishment Kit for SSK600A	n/a

### SEATTLE NATURAL

Model No.	Description	Weight Limit
<b>SSK604A</b>		
SSK604A-KIT	Refurbishment Kit for SSK604A	n/a
SSK604A-PYR	Pyramid Adapter for SSK604A	100 kg • 220 lb
SSK604A-DIS	Replacement Laminating Bracket for SSK604A	100 kg • 220 lb
<b>SSK602A</b>		
SSK602A-KIT	Refurbishment Kit for SSK602A	n/a